

**INFORMATION DISCLOSURE
CITATION**

ATTY. DOCKET NO.

SERIAL NO.

620-366

10/537,543

APPLICANT

SLATER et al.

(Use several sheets if necessary)

FILING DATE

GROUP

June 3, 2005

~~Unassigned~~ 1636**U.S. PATENT DOCUMENTS**

*EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
KM	5,028,689	07/1991	Heinz et al.			
↓	5,948,878	09/1999	Burgess et al.			
↓	6,063,370	05/2000	Dadey			
↓	6,210,717	04/2001	Choi et al.			

FOREIGN PATENT DOCUMENTS

	DOCUMENT	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
KM	WO 98/35688	08/1998	WIPO				
↓	WO 99/09955	03/1999	WIPO				
↓	WO 02/092554	11/2002	WIPO				
↓	EP 0 727 223 A1	08/1996	Europe				
↓	670 721	04/1952	Great Britain				
↓	WO 98/19710	05/1998	WIPO				
↓	WO 99/55743	11/1999	WIPO				
↓	WO 99/42091	08/1999	WIPO				
↓	WO 00/63409	10/2000	WIPO				

OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)

KM	Agi, Y., et al., 1997, "Fluorescence monitoring of the microenvironmental pH of highly charged polymers", <u>Journal of Polymer Science, Part A: Polymer Chemistry</u> , Vol. 35, pp. 2105-2110.
↓	Maeda, M., et al., 1988, "H ⁺ -induced release of contents of phosphatidylcholine vesicles bearing surface-bound polyelectrolyte chains", <u>J. Am. Chem. Soc.</u> , Vol. 110, pp. 7455-7459.
↓	Mandel et al., 1967, "The conformational transition of poly(methacrylic acid) in solution," <u>J. Phys. Chem.</u> , Vol. 71, No. 3, pp. 603-612.
↓	Marecos, E., et al., 1998, "Antibody-mediated versus nontargeted delivery in a human small cell lung carcinoma model," <u>Bioconjugate Chem.</u> , Vol. 9, No. 2, pp. 184-191.
↓	Matthews, S.E., et al., 1996, "Macromolecular systems for chemotherapy and magnetic resonance imaging", <u>Advanced Drug Delivery Reviews</u> , Vol. 18, pp. 219-267.
↓	Muller, G., 1974, "Electric permittivity of polyelectrolytes. I. Effect of ionization on the dielectric behaviour of a polycondensate between L-lysine and 1,3-benzene disulfonyl chloride", <u>Polymer Letters Edition</u> , Vol. 12, pp. 319-326.
↓	Mungara, P.M., et al., 1993, "Synthesis of polyamides containing dipeptide linkages," <u>Chem. Mater.</u> , Vol. 5, No. 9, pp. 1242-1246.
↓	Mungara, P.M., et al., 1994, "Chapter 11: Synthesis of Functionalized Targeted Polyamides," in <u>ACS Symp. Ser.</u> , Vol. 575, pp. 160-170.

*Examiner

Date Considered

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Form PTO-FB-A820 (Also PTO-1449)

INFORMATION DISCLOSURE CITATION	ATTY. DOCKET NO.	SERIAL NO.
	620-366	10/537,543
(Use several sheets if necessary)	APPLICANT	
	SLATER et al.	
	FILING DATE	GROUP
	June 3, 2005	Unassigned 1636

OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)

KM	Murthy, N., et al., 1999, "The design and synthesis of polymers for eukaryotic membrane disruption," <u>J. Controlled Release</u> , Vol. 61, pp. 137-143.
	Nagasawa, M., 1971, "Potentiometric titration and conformation of synthetic and natural polyelectrolytes," <u>Pure Appl. Chem.</u> , Vol. 26, Nos. 3-4, pp. 519-536.
	Ohno, N., et al., 1973, "Conformational transition of the copolymer of maleic acid and styrene in aqueous solutions," <u>J. Polymer Science: Polymer Physics Edition</u> , Vol. 11, pp. 413-425.
	Ostolaza, H., et al., 1997, "Balance of electrostatic and hydrophobic interactions in the lysis of model membranes by <i>E. coli</i> α -haemolysin," <u>J. Membrane Biol.</u> , Vol. 158, pp. 137-145.
	Parkhe, A.D., et al., 1998, "Effect of local sequence inversions on the crystalline antiparallel β -sheet lamellar structures of periodic polypeptides: implications for chain-folding", <u>International Journal of Biological Macromolecules</u> , Vol. 23, pp. 251-258.
	Pichon, C., et al., 2001, "Histidine-rich peptides and polymers for nucleic acids delivery", <u>Advanced Drug Delivery Reviews</u> , Vol. 53, pp. 75-94.
	Plank, C., et al., 1995, "The influence of endosome-disruptive peptides on gene transfer using synthetic virus-like gene transfer systems," <u>J. Biol. Chem.</u> , Vol. 269, pp. 12918-12924.
	Pokhrel, M.R., et al., 2000, "Synthesis, characterization, and first application of high molecular weight polyacrylic acid derivatives possessing perfluorinated side chains and chemically linked pyrene labels", <u>J. Phys. Chem. B.</u> , Vol. 104, pp. 2215-2223.
	Reddington, M.V., 1998, "New glycoconjugated cyanine dyes as fluorescence labelling reagents," <u>J. Chem. Soc., Perkin Trans.</u> , Vol. 1, pp. 143-147.
	Amiji, M.M., et al., 2001, "pH-Responsive Polymer Microspheres: Rapid Release of Encapsulated Material Within the Range of Intracellular pH", <u>Angewandte Chemie International</u> , Vol. 40, pp. 1707-1710.
	Angelova, N., et al., 1999, "Rationalizing the design of polymeric biomaterials," <u>TIBTECH</u> , October 1999, Vol. 17, pp. 409-421.
	Anghel, D.F., et al., 1998, "Fluorescent dyes as model 'hydrophobic modifiers' of polyelectrolytes: a study of poly(acrylic acid)s labelled with pyrenyl and naphthyl groups," <u>Polymer</u> , Vol. 39, No. 14, pp. 3035-3044.
	Anufrieva, E.V., et al., 1968, "The models of denaturation of globular proteins. II. Hydrophobic interactions and conformational transition in polymethacrylic acid," <u>J. Polymer Science: Part C</u> , No. 16, pp. 3519-3531.
	Hoffman, A.S., et al., 2000, "Really smart bioconjugates of smart polymers and receptor proteins," <u>Smart Bioconjugates</u> (Founder's Award, Sixth World Biomaterials Congress 2000, Kamuela, HI, May 15-20, 2000), pp. 577-586.
✓	Huguet, J., et al., 1991, "Hydrosoluble polymeric drug carriers derived from citric acid and L-lysine", <u>American Chemical Society</u> , pp. 407-417.

Examiner	Date Considered
Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.	

Form PTO-FB-A820 (Also PTO-1449)

**INFORMATION DISCLOSURE
CITATION**

ATTY. DOCKET NO.

SERIAL NO.

620-366

10/537,543

APPLICANT

SLATER et al.

(Use several sheets if necessary)

FILING DATE

GROUP

June 3, 2005

~~Unassigned~~

1636

OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)

KM	Jensen, K.D., et al., 2001, "The cytoplasmic escape and nuclear accumulation of endocytosed and microinjected HPMA copolymers and a basic kinetic study in Hep G2 cells," <u>American Association of Pharmaceutical Scientists</u> , Vol. 3, No. 4, Article 32, pp. 1-14.
	Jones, G., et al., 2001, "Azole-linked coumarin dyes as fluorescence probes of domain-forming polymers", <u>Journal of Photochemistry and Photobiology B: Biology</u> , Vol. 65, pp. 5-12.
	Jones, G., et al., 1994, "Fluorescence properties of coumarin laser dyes in aqueous polymer media. Chromophore isolation in poly(methacrylic acid) hypercoils", <u>Journal of Physical Chemistry</u> , Vol. 98, No. 49, pp. 13028-13037.
	Klick, K.L., et al., 2000, "Protein engineering by in vivo incorporation of non-natural amino acids: control of incorporation of methionine analogues by methionyl-tRNA synthetase", <u>Tetrahedron</u> , Vol. 56, pp. 9487-9493.
	Klick, K.L., et al., 2001, "Identification of an expanded set of translationally active methionine analogues in <i>Escherichia coli</i> ", <u>FEBS Letters</u> , Vol. 502, pp. 25-30.
	Kimoto, A., et al., 1992, "Antitumor effects of SMANCS on rat mammary tumor induced by 7,12-dimethylbenz[a]anthracene," <u>Cancer Research</u> , Vol. 52, pp. 1013-1017.
	Kitano, H., et al., 1991, "pH-responsive liposomes which contain amphiphiles prepared by using lipophilic radical initiator", <u>Macromolecules</u> , Vol. 24, pp. 42-46
	Kost, J., et al., 1991, "Responsive polymeric delivery systems", <u>Advanced Drug Delivery Reviews</u> , Vol. 6, pp. 19-50.
	Kumar, M.N.V.R., 2000, "Nano and microparticles as controlled drug delivery devices", <u>J. Pharm. Pharmaceut. Sci.</u> , Vol. 3, pp. 234-258.
	Lackey, C.A., et al., 1999, "Hemolytic activity of pH-responsive polymer-streptavidin bioconjugates", <u>Bioconjugate Chem.</u> , Vol. 10, pp. 401-405.
	Langer, R., 1990, "New Methods of Drug Delivery", <u>Science</u> , Vol. 249, pp. 1527-1531.
	Leyte, J.C. and Mandel, M., 1964, "Potentiometric Behaviour of Polymethacrylic acid", <u>J. Poly. Sci. Part. A</u> , Vol. 2, pp. 1879-1891.
	Li, C., et al., 1989, "Synthesis of poly(iminocarbonates): degradable polymers with potential applications as disposable plastics and as biomaterials," <u>Macromolecules</u> , Vol. 22, No. 5, pp. 2029-2036.
	Reddington, M.V., 1998, "New glycosylated cyanine dyes as fluorescent labeling reagents," <u>J. Chem. Soc., Perkin Trans. 1</u> , pp. 143-148.
	Rihova, B., et al., 2001, "Doxorubicin bound to a HPMA copolymer carrier through hydrazone bond is effective also in a cancer cell line with a limited content of lysosomes," <u>J. Control. Rel.</u> , Vol. 74, pp. 225-232.
↓	Ringsdorf, H., 1975, "Structure and properties of pharmacologically active polymers," <u>J. Polymer Science: Symposium No. 51</u> , pp. 135-153.

*Examiner

Date Considered

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Form PTO-FB-A820 (Also PTO-1449)

**INFORMATION DISCLOSURE
CITATION**

ATTY. DOCKET NO.

SERIAL NO.

620-366

10/537,543

APPLICANT

SLATER et al.

(Use several sheets if necessary)

FILING DATE

GROUP

June 3, 2005

~~Unassigned~~ 1636
OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)

KM	Rösler, A., et al., 2001, "Advanced drug delivery devices via self-assembly of amphiphilic block copolymers", <u>Advanced Drug Delivery Reviews</u> , Vol. 53, pp. 95-108
	Rutkaite R., et al., 2001, "Fluorescence properties of carbazoyl-containing amphiphilic polymers," <u>J. Photochem. Photobiol. A: Chem.</u> , Vol. 138, pp. 245-251.
	Saotome, K., et al., 1967, "Optically active polyamides with regular structural sequences prepared from α -amino acid," <u>Die Makromolekulare Chemie</u> , Vol. 109, pp. 239-248.
	Seymour, L.W., et al., 1995, "Influence of molecular weight on passive tumour accumulation of a soluble macromolecular drug carrier," <u>European Journal of Cancer</u> , Vol. 31A, No. 5, pp. 766-770.
	Styring et al., 1989, in: <u>Determination of Molecular Weight</u> , Cooper AR, editor (Wiley, New York), pp. 263-300.
	Sugai, S., et al., 1986, "Conformations of Hydrophobic Polyelectrolytes", <u>Advances in Colloid and Interface Science</u> , Vol. 24, pp. 247-282.
	Taillefer, J., et al., 2001, "In-vitro and in-vivo evaluation of pH-responsive polymeric micelles in a photodynamic cancer therapy model", <u>Journal of Pharmacy and Pharmacology</u> , Vol. 53, No. 2, pp. 155-166.
	Thomas, J.L., et al., 1992, "Polyelectrolyte-sensitised phospholipid vesicles," <u>Acc. Chem. Res.</u> , Vol. 25, pp. 336-342.
	Thomas, J.L., et al., 1994, "Membrane solubilization by a hydrophobic polyelectrolyte: surface activity and membrane binding," <u>Biophysical Journal</u> , Vol. 67, pp. 1101-1106.
	Thomas, J.L., et al., 1996, "Modulation of mobilities of fluorescent membrane probes by adsorption of a hydrophobic polyelectrolyte," <u>Macromolecules</u> , Vol. 29, No. 7, pp. 2570-2576.
	Thomas, J.L., et al., 2000, "Polymer-induced leakage of cations from dioleoyl phosphatidylcholine and phosphatidylglycerol liposomes", <u>Journal of Controlled Release</u> , Vol. 67, pp. 203-209.
	Tirrell, J.G., et al., 1996, "Synthesis of biopolymers: proteins, polyesters, polysaccharides and polynucleotides," <u>Current Opinion in Solid State & Materials Science</u> , Vol. 1, pp. 407-411.
	Tonge, S.R., et al., 2001, "Responsive hydrophobically associating polymers: a review of structure and properties", <u>Advanced Drug Delivery Reviews</u> , Vol. 53, pp. 109-122.
✓	Tung, C-H., et al., 2000, "In-vivo imaging of proteolytic enzyme activity using a novel molecular reporter", <u>Cancer Research</u> , Vol. 60, pp. 4953-4958.
	Weissleder, R., et al., 1999, "In vivo imaging of tumours with protease-activated near infrared fluorescent probes," <u>Nature Biotechnology</u>, Vol. 17, pp. 375-378. not provided
KM	Atkins, P.W., 1989, <u>Physical Chemistry</u> , third edition, (publisher: Oxford University Press), pp. 615-620.

Examiner

Date Considered

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Form PTO-FB-A820 (Also PTO-1449)

**INFORMATION DISCLOSURE
CITATION**

ATTY. DOCKET NO.

SERIAL NO.

620-366

10/537,543

APPLICANT

SLATER et al.

(Use several sheets if necessary)

FILING DATE

GROUP

June 3, 2005

~~Unassigned~~

1636

OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)

KM	Ballou, B., et al., 1997, "Tumour detection and cyanine visualisation using flurochrome-labeled antibodies," <u>Biotechnol. Progr.</u> , Vol. 13, pp. 649-658.
	Boudreaux, C.J., et al., 1997, "Controlled activity polymers. XI Hydrolytic release studies of hydrophilic copolymers with labile esters of model allelopathic phenols", <u>Journal of Controlled Release</u> , Vol. 44, pp. 185-194.
	Boustta, M., et al., 1991, "New functional polyamides derived from citric acid and L-lysine: synthesis and characterization," <u>Makromol. Chem. Macromol. Symp.</u> , Vol. 47, pp. 345-355.
	Chee, C.K., et al., 2001, "Fluorescence investigations of the thermally induced conformational transition of poly(<i>N</i> -isopropylacrylamide)", <u>Polymer</u> , Vol. 42, pp. 5079-5087.
	Coley M.C, Lewandowicz G, Sargent J.M and Verill M, 1997, "Chemosensitivity testing of fersh and continuous tumour cell cultures using lactate dehydrogenase," <u>Anticancer Research</u> , Vol. 17, pp. 231-236.
	Delaire, J.A., et al., 1984, "Quenching of fluorescence in water-soluble copolymers of methacrylic acid and vinylidiphenylanthracene," <u>J. Phys. Chem.</u> , Vol. 88, pp. 6219-6227.
	Domb, A.J., 1990, "Biodegradable polymers derived from amino acids," <u>Biomaterials</u> , Vol. 11, pp. 686-689.
	Doty, P., et al., 1957, "Polypeptides. VIII. Molecular configurations of poly-L-glutamic acid in water-dioxane solution", <u>Journal of Polymer Science</u> , Vol. XXIII, pp. 851-860.
	Dubin, P.L., et al., 1970, "Hydrophobic bonding in alternating copolymers of maleic acid and alkyl vinyl ethers," <u>J. Phys. Chem.</u> , Vol. 74, No. 14, pp. 2842-2847.
	Eccleston M.E., et al., 1999, "Synthetic routes to responsive polymers: co-polycondensation of tri-functional amino acids with diacylchlorides," <u>Reactive and Functional Polymers</u> , Vol. 42, pp. 147-161.
	Eccleston, M.E. et al., 2000, "pH-Responsive Pseudo-Peptides for Cell Membrane Disruption," <u>J. Controlled Release</u> , Vol. 69, p. 297-307.
	Eccleston, M.E. et al., 2004, "Optical characteristics of responsive biopolymers; co-polycondensation of tri-functional amino acids and Cy-3 bis-amine with diacylchlorides", <u>Polymer</u> , Vol. 45, pp. 25-32.
	Fenyo, J.C., et al., 1979, "Polyelectrolytes conformational probes: Auramine O and ethidium bromide interactions with hypercoiling maleic acid-olefin copolymers", <u>J. Polym. Sci., Polym. Chem. Ed.</u> , Vol. 17, No. 12, pp. 4069-4080.
	Fiordeliso, J., et al., 1994, "Design, synthesis, and preliminary characterization of tyrosine-containing polyarylates: new biomaterials for medical applications," <u>J. Biomater. Sci. Polymer Edn.</u> , Vol. 5, No. 6, pp. 497-510.
✓	Gautier, S., et al., 1999, "Alkylated poly(L-lysine citramide) as models to investigate the ability of amphiphilic macromolecular drug carriers to physically entrop lipophilic compounds in aqueous media", <u>Journal of Controlled Release</u> , Vol. 60, pp. 235-247.

*Examiner

Date Considered

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Form PTO-FB-A820 (Also PTO-1449)

